No.

THE UNITED STAVIES OF AMIERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Delta and Pine Land Company

Wilherens, there has been presented to the

Socretizary of Agresions of

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to expect others from selling the variety, or offering it for sale, or reproducing it,

PORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 15+2, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'Deltapine 497'

In Esstimony Witherest, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington

this 28th day of November in the year of our Lord one thousand nine hundred and eighty-three.

Aller

Kenneth H. Evan

commissioner Plant Variety Protection Of

Stain Division Agricultural Marketing Service John R Blank

Secretary of Agriculture

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE		FORM APPROVED: OMB NO. 0581-0005			
		No certificate for plant variety protection may be issued unless a completed application form has been received (5 U.S.C. 553).			
1. NAME OF APPLICANT(S) 2. TEMPORARY DESIGNATION		+	3. VARIETY NAME		
Delta and Pine Land Company				Deltapine 497	
4. ADDRESS (Street and No. or R.F.D. No., City, Sta	te, and Zip Code	5. PHONE (Include area code)	FOR OFFICIAL USE ONLY		
Scott, Mississippi 38772 601/742-3351		83000 13			
6. GENUS AND SPECIES NAME	GENUS AND SPECIES NAME 7. FAMILY NAME (Botanical)		ļ	DATE	
Glycine max	Legum:	inosae	FILING	11/4/82 TIME 2:30 A.M. X P.M.	
8. KIND NAME	9	. DATE OF DETERMINATION		AMOUNT FOR FILING	
Soybean	\(\text{\tin}\text{\tetx{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\ti}\\\ \ti}}\\ \text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tin}\text{\text{\text{\text{\text{\text{\texitt{\text{\text{\text{\text{\text{\text{\texi}\text{\text{\ti}\tint{\text{\text{\texit{\text{\texi}\tiint{\text{\texit{\text{\ti}\tinttit{\texi}\tinz}\text{\text{\texitit}}\\text{\tex	November 1976	RECEIVED	\$ 500.00 DATE 11/4/82	
10. IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.) Corporation	N," GIVE FORM	OF ORGANIZATION (Corporation,	FEES RE	AMOUNT FOR CERTIFICATE \$ 250.00	
corporation			"	11/16/83	
11. IF INCORPORATED, GIVE STATE OF INCORPORT	PRATION		12. DATE OF INCORPORATION		
Scott, Mississippi 38772 14. CHECK APPROPRIATE BOX FOR EACH ATTAC a. Exhibit A, Origin and Breeding History of the Section 52 of the Plant Variety Protection Act	. Variety (See	c. Exhibit C, Objective D from Plant Variety Pro	tection		
	b. 🔀 Exhibit B, Novelty Statement d. 🗶 Exhibit D, Additional Description of the Variety				
15. DOES THE APPLICANT(S) SPECIFY THAT SEEE SEED? (See Section 83(a) of the Plant Variety Pro	tection Act.)	IETY BE SOLD BY VARIETY NAME Yes (If "Yes," answer i			
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? 17. IF "YES" TO ITEM 16, W BEYOND BREEDER SEED		HICH : D?	CLASSES OF PRODUCTION		
Yes No 18. DID THE APPLICANT(S) FILE FOR PROTECTION	N OF THE WAR	Foundation	Registered Certified		
	We the VAL	mest in the d.s. on other cool	N I MIE	Yes (If "Yes," give names of countries and dates)	
19. HAVE RIGHTS BEEN GRANTED IN THE US OF	R OTHER COLL	ITBIF63		X No	
19. HAVE RIGHTS BEEN GRANTED IN THE U.S. OR OTHER COUNTRIES?				Yes (If "Yes," give names of countries and dates)	
20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be r			1 X I		
plenished upon request in accordance with suc	ch regulations	as may be applicable.			
The undersigned applicant(s) is (are) the owner distinct, uniform, and stable as required in Section Act.	ction 41, and i	s entitled to protection under the	provis	sions of Section 42 of the Plant	
Applicant(s) is (are) informed that false repres	sentation herei	n can jeopardize protection and re	sult i	n penalties.	
SIGNATURE OF APPLICANT WITH			DA	9-14-82	
SIGNATURE OF APPLICANT			DA	TE 1	

FORM LMGS-470 (9-81) (Edition of 1-78 is obsolete)

EXHIBIT A

DELTA AND PINE LAND COMPANY'S APPLICATION FOR DELTAPINE 497

Origin and Breeding History of the Variety

Deltapine 497 originated from the cross Davis x N66-1136. N66-1136 was a North Carolina breeding line. The pedigree method of breeding was employed in selecting this variety. In 1976, an F¼ plant row was bulked for yield testing in 1977. Two single plant selections were also selected from that F¼ plant row and each was grown in a plant row in 1977. One of the two plant rows was bulked and increased. From 1977 on, concurrent yield testing and increasing of this line, then known as experimental strain Deltapine 496, was carried out. Observations and rogueing were conducted for three years on each increase generation through the year 1980. Based on these observations, Deltapine 497 is stable for all observable characteristics.

Based on yield data obtained in 1977, Deltapine 497 was included in more tests and locations in succeeding years. In 1981 Deltapine 497 was included in yield tests conducted by Delta and Pine Land Company personnel and by several state experiment stations in the Southeastern United States, the Mid-South and the Gulf Coast of Texas.

FREQUENCIES OF VARIANTS GIVEN UNDER EXHIBIT D. 14/2/82

EXHIBIT B

DELTA AND PINE LAND COMPANY'S APPLICATION FOR DELTAPINE 497

Novelty Statement

Deltapine 497 is most similar to the variety Bragg. The principal differences between Deltapine 497 and Bragg are foliage color, seed coat luster and seed coat color and seed size. The foliage of Deltapine 497 is a darker green (2.4) than the foliage of Bragg (1.8). The seed coat luster of Deltapine 497 is much duller (4.1) than that of Bragg (2.1). The seed coat color of Deltapine 497 (2.9) is a lighter yellow than that of Bragg (2.1). Deltapine 497 has smaller seed (3243 seed per pound) than Bragg (3131 seed per pound).

TABLE B I la

MID-LATE MERIT STRAIN TEST - SCOTT, MS - HEAVY SOIL - 1981

Entry	Seed Coat Color 1/	Rps. 2/9/83
Deltapine 497	4.0	
Bragg	2.0	Variation and
	LSD .05 0.4 LSD .01 0.5 CV .01 17.2	

 $\frac{1}{2}$ / 1 = Very shiny 5 = Very dull

Table B I 1b MID-LATE MERIT STRAIN TEST - SCOTT, MS - LIGHT SOIL - 1981

Entry	Seed Coat Luster $\frac{1}{2}$
Deltapine 497	4.8
Bragg	2.9
	LSD 05 0.4 LSD 01 0.6 CV 14.5

1/ 1 = Very shiny 5 = Very dull

TABLE B I 1c

MID-LATE MERIT STRAIN TEST - WISNER, LA - HEAVY SOIL - 1981

Entry	Seed Coat Luster 1
Deltapine 497	3.8
Bragg	1.6
	LSD .05 0.7 LSD .01 1.0 CV 25.9

1/1 = Very shiny

TABLE B I ld

MID-LATE MERIT STRAIN TEST - JOINER, AR - HEAVY SOIL - 1981

Entry	Seed Coat Luster 1/
Deltapine 497	5.0
Bragg	3.2
	LSD 0.9 LSD 01 1.2 CV 18.4

1/1 = Very shiny

TABLE B I 1k

MID-LATE MERIT STRAIN TEST - TUNICA, MS - HEAVY SOIL - 1981

<u>Entry</u>	Seed Coat Luster 1	<i>i</i> –
Deltapine 497	4.5	
Bragg	2.8	
	LSD 0.6 LSD 05 0.8 CV 14.1	

1/1 = Very shiny

TABLE B I 2a $\label{eq:maturity merit strain test - scott, ms - heavy soil - 1980 }$

Entry	Seed Coat Luster $\frac{1}{2}$
Deltapine 497	3.4
Bragg	1.6
	LSD .05 0.4 LSD .01 0.6 CV .01 20.8

1/1 = Very shiny

TABLE B I 2d

MID-MATURITY ADVANCED STRAIN TEST - SCOTT, MS - HEAVY SOIL - 1980

Entry	Seed Coat Luster 1/
Deltapine 497	3.4
Bragg	1.4
	LSD 0.6 LSD 05 0.8 CV 19.8

1/ 1 = Very shiny 5 = Very dull

TABLE B I 2e $\label{eq:mid-maturity} \mbox{MID-MATURITY ADVANCED STRAIN TEST - SCOTT, MS - LIGHT SOIL - 1980$

Entry	Seed Coat Luster 1/
Deltapine 497	4.0
Bragg	1.0
	LSD.05 0.8 LSD.01 1.0 CV 22.3

1 / 1 = Very shiny

TABLE B I 2f

MID-MATURITY MERIT STRAIN TEST - COLUMBIA, N.C. - BLACKLAND PEAT SOIL - 1980

Entry		Seed (Coat Luster 1/
Deltapine 497	. 1		3.8
Bragg		· .	2.4
		LSD .05 LSD .01	0.8 1.0 24.4

1/1 = Very shiny

TABLE B I
AVERAGE DATA FOR 24 TESTS CONDUCTED IN MISSISSIPPI, LOUISIANA,
ARKANSAS, NORTH CAROLINA, AND SOUTH CAROLINA IN 1979, 1980, AND 1981

	Deltapine 497	Bragg	Difference
Flower Color $\frac{1}{}$	W	W	No
Pubescence Color ² /	T	Т	No
Plant Height (cm)	106.5	104.2	+2.3
Height 1st Pod From Ground (cm)	12.9	12.7	+0.2
Date of Maturity	10-31	10-29	+2
Lodging 3/	1.5	1.8	-0.3
Metribuzin Reaction 4/	1.3	1.6	-0.3
Foliar Feeding Insect Damage 5/	2.4	2.3	+0.1
Foliage Color 6/	2.4	1.8	+0.6
Protein Content (%)	40.1	39.7	+0.4
Oil Content (%)	19.0	20.4	-1.4
Weight gm/100 Seed	14.0	14.5	-0.5
Seed Quality Rating 7/	1.5	1.2	+0.3
Seed Coat Luster 8/	4.1	2.1	+2.0
Seed Coat Color 9/	2.9	2.1	+0.8
Hilum Color	B1	Bl	No

<pre>1/ P = Purple W = White</pre>	$\underline{6}$ / 1 = Very light green 5 = Very dark green
2/T = Tawny $G = Grey$	7/1 = Very good quality 5 = Very poor quality
3/1 = No lodging 5 = Severe lodging	8/1 = Very shiny $5 = Very dull$
$\frac{4}{1} = \text{Very tolerant}$ $5 = \text{Plants killed}$	9/1 = Deep yellow 5 = Light yellow
5/ 1 = No feeding 5 = Completely skeletonized	

TABLE B I 1
AVERAGE DATA FOR 14 TESTS CONDUCTED IN MISSISSIPPI, LOUISIANA,
ARKANSAS, NORTH CAROLINA, AND SOUTH CAROLINA IN 1981

	Deltapine 497	Bragg	Difference
Flower Color $\frac{1}{}$	W	W	No
Pubescence Color ² /	Т	T	No
Plant Height (cm)	105.8	103.4	+2.4
Height 1st Pod From Ground (cm)	13.0	12.8	+0.2
Date of Maturity	10-29	10-26	+3
Lodging ³ /	1.6	1.9	-0.3
Metribuzin Reaction—	1.3	1.6	-0.3
Foliar Feeding Insect Damage 5/	2.4	2.3	+0.1
Foliage Color 6/	2.4	1.8	+0.6
Weight gm/100 Seed	13.0	13,5	-0.5
Seed Quality Rating 7/	1.6	1.3	+0.3
Seed Coat Luster 8/	24.24	2.5	+1.9
Seed Coat Color 9/	3.0	2.5	+0.5
Hilum Color	B1	Bl	

1/ P = Purple W = White	$\frac{6}{1}$ = Very light green $\frac{6}{5}$ = Very dark green
2/T = Tawny $G = Grey$	$\frac{7}{1}$ = Very good quality 5 = Very poor quality
3/ 1 = No lodging 5 = Severe lodging	$\frac{8}{1}$ = Very shiny 5 = Very dull
$\frac{4}{1}$ = Very tolerant 5 = Plants killed	9/1 = Deep yellow 5 = Light yellow
5/1 = No feeding 5 = Completely skeletonized	

TABLE B I 2
AVERAGE DATA FOR 6 TESTS CONDUCTED IN MISSISSIPPI,
ARKANSAS, AND NORTH CAROLINA IN 1980

	Deltapine 497	Bragg	Difference
Flower Color 1/	W	W	No
Pubescence Color ² /	T	T	No
Plant Height (cm)	108.1	103.7	+4.4
Height 1st Pod From Ground (cm)	11.8	12.5	-0.7
Date of Maturity	11-6	11-5	+1
Lodging ³ /	1.5	1.4	+0.1
Protein Content (%)	40.1	39.7	+0.4
Oil Content (%)	19.0	20.4	-1.4
Weight gm/100 Seed	15.2	15.7	-0.5
Seed Quality Rating 4/	1.3	1.1	+0.2
Seed Coat Luster 5/	3.7	1.7	+2.0
Seed Coat Color 6/	2.7	1.6	+1.1
Hilum Color	Bl	Bl	No

W = White
2/T = Tawny $G = Grey$
3/1 = No lodging 5 = Severe lodging
4/1 = Very good quality 5 = Very poor quality

$$5/1 = Very shiny$$

5 = Very dull

$$\frac{6}{1}$$
 = Deep yellow 5 = Light yellow

TABLE B I 3 AVERAGE DATA FOR 4 TESTS CONDUCTED IN MISSISSIPPI AND ARKANSAS IN 1979

Deltapine 497	Bragg	Difference
W	W .	No
T	T	No
106.8	107.8	-1.0
14.1	12.3	+1.8
10-28	10-26	+2
1.2	1.8	-0.6
	W T 106.8 14.1 10-28	W W T T 106.8 107.8 14.1 12.3 10-28 10-26

 $\frac{1}{W} = \frac{1}{W}$ P = Purple White

2/T = Tawny G = Grey

3/1 = No lodging5 = Severe lodging

EXHIBIT C (Soybean)

1

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Delta and Pine Land Company	Deltapine 496	Deltapine 497
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cod	e)	FOR OFFICIAL USE ONLY
		PVPO NUMBER
Scott, Mississippi 38772		8300013
Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided,	riety in the features described place a zero in the first box w	below. When the number of significant digit then number is 9 or less (e.g., 0 9).
1. SEED SHAPE:		
II W		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	2 = Spherical Flattened	(L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	4 = Elongate Flattened	(L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs	oy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 4 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	ack 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 = Low 2 = High		
8, SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
	th bronze band below cotyledons	('Woodworth'; 'Tracy')
4 = Dark Purple extending to unifoliate leaves ('Hodgson'		
10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	<i>2 -</i>
		17

11. LEAF	LET SIZE:		the second second	
2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79	9'; 'Gasoy 17')	7
12, LEAF	COLOR			
2	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Co	rsoy 79'; 'Braxton')	
13. FLOW	ER COLOR:			
1	1 = White 2 = Purple	3 = White with purple throa	at é	
14. POD 0	OLOR:			
1	1 = Tan 2 = Brown 3 =	= Black		
15. PLAN	PUBESCENCE COLOR:			
2	1 = Gray 2 = Brown (Tawny)			
16. PLANT	TYPES:		e alektrik i salah salah keraja dan keraja d Keraja dan keraja dan	
2	1 = Siender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amod	or'; 'Braxton')	. %
17. PLAN1	HABIT:			
1	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican	2 = Semi-Determinate (1)	vill')	
18. MATU	RITY GROUP:		· · · · · · · · · · · · · · · · · · ·	
1 0	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII	4 = I 5 = II 12 = IX 13 = X	6 = III 7 = IV	8 = V
19. DISEAS	E REACTION: (Enter 0 = Not Tested; 1 = Susce	entible: 2 = Resistant)	· · · · · · · · · · · · · · · · · · ·	
	ERIAL DISEASES:		and the second s	
ि	Bacterial Pustule (Xanthomonas phaseoli var. so	jensis)	•	
اما	Bacterial Blight (Pseudomonas glycinea)	• 44		
0	Wildfire (Pseudomonas tabaci)		en e	en e
FUNGA	L DISEASES:			
0	Brown Spot (Septoria glycines)			
	Frogeye Leaf Spot (Cercospora sojina)			
0	Race 1 0 Race 2 0 Race 3	O Race 4	O Race 5 O Oth	er (Specify)
	Target Spot (Corynespora cassiicola)			
O	Downy Mildew (Peronospora trifoliorum var. ma	nshurica)		
0	Powdery Mildew (Microsphaera diffusa)		e geografie	, -
	Brown Stem Rot (Cephalosporium gregatum)			
2	Stem Canker (Diaporthe phaseolorum var. caulivo	ora)		18

FORM LMGS-470-57 (2-82)

19. DISEA	SE REACTION	: (Enter 0 = Not To	ested; 1 = Susceptib	ole; 2 = R	esistant) (Co	ontinued)			•
FUN	GAL DISEASE	S: (Continued)							\$ √ ⁴ 1, * \$
2	Pod and Stem	n Blight <i>(Diaporthe j</i>	phaseolorum var; so	ojae)					
2	Purple Seed S	Stain <i>(Cercospora kii</i>	kuchii)						
0	Rhizoctonia F	Root Rot (Rhizocto	nia solani)						
	Phytophthora	Rot (Phytophthora	a megasperma var. s	sojae)					
1	Race 1	1 Race 2	O Race 3	0	Race 4	O Race 5	O Rac	e 6 O	Race 7
0	Race 8	O Race 9	O Other (Spe	cify)				<u>,</u>	
VIRA	AL DISEASES:								
0	Bud Blight (T	obacco Ringspot Vi	irus)						
0	Yellow Mosai	c (Bean Yellow Mos	saic Virus)						
0	Cowpea Mosa	ic (Cowpea Chlorot	ic Virus)						
0	Pod Mottle (B	Bean Pod Mottle Vir	us)						
2	Seed Mottle (Soybean Mosaic Vir	us)						
NEM	ATODE DISEA	ASES:						•	
	Soybean Cyst	Nematode (Hetero	dera glycines)						
1	Race 1] Race 2	Race 3		Race 4	Other /	Specify)		
	Lance Nemato	ode <i>(HopIolaimus C</i>	olombus)						•
o	Southern Roo	ot Knot Nematode (Meloidogyne incog	nita)					
0	Northern Roo	ot Knot Nematode /	Meloidogyne Hapla	a)				-	
	Peanut Root I	Knot Nematode <i>(Me</i>	eloidogyne arenaria	,)					
	Reniform Nen	matode <i>(Rotylenchu</i>	ılus reniformis)						·
	OTHER DISE	ASE NOT ON FOR	RM (Specify):		-				
									
20. PHYSIC	DLOGICAL RES	SPONSES: (Enter (0 = Not Tested; 1 =	Suscepti	ble; 2 = Resi	stant)			
	Iron Chlorosis	on Calcareous Soil							
	Other (Specify	//							
21. INSECT	REACTION:	(Enter 0 = Not Test	ted; 1 = Susceptible	e; 2 = Res	istant)				
	Mexican Bean	Beetle (Epilachna v	arivestis)						
لما	Potato Leaf H	opper (Empoasca fa	abae)		•				
0	Other (Specify	/) 							
22. INDICA	TE WHICH VA	RIETY MOST CLO	SELY RESEMBLI	ES THAT	SUBMITTE	D.			***************************************
√ CHAF	RACTER	NAME	OF VARIETY		СНАГ	RACTER	N	AME OF VAR	IETY
Plant Sh	ape	Bragg			Seed Co	at Luster	Deltapi	ine 105	
Leaf Sha		Bragg			Seed Siz	e	Deltapi	ine 506	
Leaf Col	· · · - · · · · · · · · · · · · · · · ·	Deltapin	ie 506		Seed Sh		Bragg		
Leaf Size		Bragg			Seedling	Pigmentation	Bragg	<u> </u>	

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY			PLANT CM LODGING PLANT		LEAFLET SIZE		SEED CONTENT		NO. SEEDS/
	MATURITY SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	G/100 SEEDS	POD	
Submitted	10-31	1.5	106.5	_	_	40.1	19.0	posite	
Bragg Name of Similar Variety	10-29	1.8	104.2	<u>-</u>	–	39.7	20.4	14	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT D

DELTA AND PINE LAND COMPANY'S APPLICATION FOR DELTAPINE 497

Additional Description of the Variety

Deltapine 497 is a group VII maturity soybean variety which matures approximately two days later than Bragg. It has white flowers, a tawny pubescence, and a tan pod wall. The foliage is medium in color and darker than Bragg. The leaves of Deltapine 497 are ovate in shape. The seed coat is very dull and the seed coat color is medium yellow. The hilum color is black. The seed of Deltapine 497 (3243 seed per pound) is similar to Deltapine 506 (3243 seed per pound) in size. Deltapine 497 has larger seeds than Centennial (3363 seed per pound) and Deltapine 246 (3550 seed per pound) and smaller seeds than Bragg (3131 seed per pound). Deltapine 497 (40.1%) is similar to Centennial (40.4%) in protein content, and higher in protein content than Deltapine 246 (39.8%), Bragg (39.7%), and Deltapine 506 (39.1%). Deltapine 497 (19.0%) is lower in oil content than Deltapine 246 (21.5%), Bragg (20.4%), Deltapine 506 (19.9%), and Centennial (19.8%). Deltapine 497 does not exhibit hypocotyl resistance to Phytophthora megasperma (races 1 and 2) which causes Phytophthora root rot but has exhibited field resistance. Deltapine 497 is taller (106.5 cm) than Bragg (104.2 cm), Deltapine 506 (98.9 cm), Centennial (92.3 cm), and Deltapine 246 (76.0 cm).

As stated above, Deltapine 497 has white flowers. Deltapine 497 has up to one (1) plant with purple flowers in 2,000 plants. Deltapine 497 has a tawny pubescence with up to one (1) plant with grey pubescence in 2,000 plants. Deltapine 497 has a black hilum with no more than one (1) seed in 2,000 with a color other than black.